

Sheet _ 1 of _7

CITED BY APPLICANT

ATTY. DOCKET: 17675 (BOT)	SERIAL NO.: 10/817,036
APPLICANT: ERIC R. FIRST	TITLE: THERAPY FOR MELANIN RELATED AFFLICTIONS
FILING DATE: April 2, 2004	GROUP: 1645

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NO.	DATE	NAME	CLASS	SUB-CLASS	FILING DATE (if applicable)
1/87	AA	10/194805		Donovan, Stephen			7/11/2002
	AB	10/731973		First, Eric F.			12/7/2003
1	AC	2003 0224019	12/4/2003	O'Brien, Christopher		/	
	AD	5,437,291	8/1/1995	Pasricha et al.		7	
	AE	5,670,484	9/23/1997	Binder, William J.		X	
	AF	5,714,468	2/3/1998	Binder, William J.			
	AG	5,766,605	6/16/1998	Sanders et al.			
	AH	5,989,545	11/23/1999	Foster et al.			
	Al	6,063,768	5/16/2000	First, Eric R.			
	AJ	6,139,845	10/31/2000	Donovan, Stephen			
	AK	6,299,893	10/9/2001	Schwartz et al.			
	AL	6,306,423	10/23/2001	Donovan et al.		h	
	AM	6,312,708	11/6/2001	Donovan, Stephen			
	AN	6,423,319	7/23/2002	Brooks et al.	/		
	AO	6,447,787	9/10/2002	Gassner et al.			
, <i>y</i>	AP	6,458,365	10/1/2002	Aoki et al.			3
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	AQ	6,464,986	10/15/2002	Aoki et al.	/,		

FOREIGN PATENT DOCUMENTS

0		DOCUMENT NO.	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION (yes/no)
TAI	BA	GB 2,368,281	8/31/2001	UK			Y
VIY	ВК	WO 02/09743	2/7/2002	PCT			Y
		WO 03/011333	2/13/2003	PCT			Y

OTHER ART

(Including Author, Title, Date, Pertinent Pages, etc.)

	CA	Andreadis S., et al., Keratinocyte growth factor induces hyperproliferation and
(/X		delays differentiation in a skin equivalent model system, FASEB J. 2001
(20)		Apr;15(6):898-906

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if-reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF ART CITED BY APPLICANT

ATTY. DOCKET: 17675 (BOT)	SERIAL NO.: 10/817,036		
APPLICANT: ERIC R. FIRST	TITLE: THERAPY FOR MELANIN RELATED AFFLICTIONS		
FILING DATE: April 2, 2004	GROUP: 1696		

F	0 -	CB	Aoki K., et al, Mechanisms of the antinociceptive effect of subcutaneous Botox:
/	(XX)	Ì	Inhibition of peripheral and central nociceptive processing, Cephalalgia 2003
$\Box \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	$\mathcal{V}\mathcal{U}$		Sep;23(7):649
		CC	Arredondo J., et al., Central role of alpha7 nicotinic receptor in differentiation of the
	·		stratified squamous epithelium, J Cell Biol. 2002 Oct 28;159(2):325-36
		CD	Asahina A., et al., Specific induction of cAMP in Langerhans cells by calcitonin
		ł	gene-related peptide: relevance to functional effects, Proc Natl Acad Sci U S A.
			1995 Aug 29;92(18):8323-7
		CE	Bigalke H., et al., Botulinum A Neurotoxin Inhibits Non-Cholinergic Synaptic
		l	Transmission in Mouse Spinal Cord Neurons in Culture, Brain Research 360;318-
			324:1985
		CF	Bigalke H., et al., Tetanus Toxin and Botulinum A Toxin Inhibit Release and Uptake
			of Various Transmitters, as Studied with Particulate Preparations From Rat Brain
		<u> </u>	and Spinal Cord, Naunyn-Schmiedeberg's Arch Pharmacol 316;244-251:1981
		CG	Binz T. et al., The Complete Sequence of Botulinum Neurotoxin Type A and
			Comparison with Other Clostridial Neurotoxins, J Biological Chemistry
1			265(16);9153-9158:1990
	\	СН	Blugerman G., et al., Multiple eccrine hidrocystomas: A new therapeutic option with
	1		botulinum toxin, Dermatol Surg 2003 May;29(5):557-9
		CI	Brem, H., et al, Placebo-Controlled Trial of Safety and Efficacy of Intraoperative
			Controlled Delivery by Biodegradable Polymers of Chemotherapy for Recurrent
			Gliomas, Lancet 345;1008-1012:1995
	/	CJ	Bushara K., Botulinum toxin and rhinorrhea, Otolaryngol Head Neck Surg
			1996;114(3):507
		CK	Chen W., et al., Trophic interactions between sensory nerves and their targets,
			Journal of Biomedical Science. 1999;6(2):79-85
1		CL	Chiang H-Y, et al., Regional difference in epidermal thinning after skin denervation,
			Exp Neurol 1998;154(1):137-45
		СМ	Dabrowski et al, Botulinum toxin as a novel treatment for self mutilation in Lesch-
<u> </u>			Nyhan syndrome, Ann Neurol 2002 Sep;52(3 Supp 1):S157
		CN	Duggan et al.; A survey of Botulinum neurotoxin substrate expression in cells; Mov
			Disord, 10(3):376:1995
		СО	Friedland S, et al., Porcelinizing discolorization of the periocular skin following
			botulinum a toxin injections. J. Neuro-Ophthalmol 1996 Mar;16(1):70-2

EXAMINER DATE CONSIDERED *EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF ART CITED BY APPLICANT

ATTY. DOCKET: 17675 (BOT)	SERIAL NO.: 10/817,036
APPLICANT: ERIC R. FIRST	TITLE: THERAPY FOR MELANIN RELATED AFFLICTIONS
FILING DATE: April 2, 2004	GROUP: 1685

20	СР	Fung L. K. et al., Pharmacokinetics of Interstitial Delivery of Carmustine 4- Hydroperoxycyclophosphamide and Paclitaxel From a Biodegradable Polymer
1 X		Implant in the Monkey Brain, Cancer Research 58;672-684:1998
	CQ	Gonelle-Gispert et al.; Snap-25a and -25b isoforms are both expressed in insulin-
		secreting cells and can function in insulin secretion; Biochem J 1;339 (pt 1):159-
		65:1999
	CR	Grando S., Biological functions of keratinocyte cholinergic receptors, J Investig
	ļ	Dermatol Symp Proc. 1997 Aug;2(1):41-8
	CS	Grando S., et al., Activation of keratinocyte nicotinic cholinergic receptors
		stimulates calcium influx and enhances cell differentiation. Invest Dermatol. 1996
	<u> </u>	Sep;107(3):412-8
	CT	Grando S., et al., Human keratinocytes synthesize, secrete, and degrade
		acetylcholine J Invest Dermatol. 1993 Jul;101(1):32-6
1 1	CU	Grando S., et al., Keratinocyte muscarinic acetylcholine receptors:
1 1		immunolocalization and partial characterization, J Invest Dermatol. 1995
	ļ	Jan;104(1):95-100
\	cv	Griffin J., et al., Axonal degeneration and disorders of the axonal cytoskeleton. In:
	ļ	Waxman S., et al., The Axon. New York: Oxford University Press, 1995:375-390
1 \	CW	Habermann E., et al., Tetanus Toxin and Botulinum A and C Neurotoxins Inhibit
1	1	Noradrenaline Release From Cultured Mouse Brain, J Neurochem 51(2);522-
	ļ	527:1988)
1 \	cx	Habermann E., Inhibition by Tetanus and Botulinum A Toxin of the release of
1 \		[3H]Noradrenaline and [3H]GABA From Rat Brain Homogenate, Experientia
 	034	44;224-226:1988
	CY	Habermann, I-Labeled Neurotoxin from Clostridium Botulinum A: Preparation,
		Binding to Synaptosomes and scent to the Spinal Cord; Nauny-Schmiedeberg's
 	-	Arch. Pharmacol. 1974; 281, 47-56
	cz	Harrison's Principles of Internal Medicine (1998), edited by Anthony Fauci et al.,
ļ	-	14th edition, published by McGraw Hill
	CAA	Heckmann M., et al., Botulinum toxin type A injection in the treatment of lichen
	Con	simplex: An open pilot study, J Am Acad Dermatol 2002 Apr;46(4):617-9
I \(\forall \)	CBB	Hokfelt T., Neuropeptides in perspective: The last ten years, Neuron 1991; 7: 867-
<u> </u>	<u> </u>	879

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw like through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF ART CITED BY APPLICANT

ATTY. DOCKET: 17675 (BOT)	SERIAL NO.: 10/817,036
APPLICANT: ERIC R. FIRST	TITLE: THERAPY FOR MELANIN RELATED AFFLICTIONS
FILING DATE: April 2, 2004	GROUP: 1648

120	CCC	Hosoi J., et al., Regulation of Langerhans cell function by nerves containing
1/20	<u> </u>	calcitonin gene-related peptide, Nature. 1993 May 13;363(6425):159-63
	CDD	Hsieh S., et al., Epidermal denervation and its effects on keratinocytes and
		Langerhans cells, J Neurocytol 1996;25:513-524
i	CEE	Hsieh S., et al., Modulation of keratinocyte proliferation by skin innervation. Journal
		of Investigative Dermatology, 1999;113(4):579-86
	CFF	Hsieh S., et al., Pathology of nerve terminal degeneration in the skin, Journal of
		Neuropathology & Experimental Neurology. 2000;59(4):297-307
	CGG	Hsieh S., et al., Skin Innervation and Its Effects on the Epidermis, J Biomed Sci.
,		1997;4(5):264-268
	СНН	Hsiung-F., et al., (2001) Quantitative pathology of cutaneous nerve terminal
		degeneration in the human skin, Acta Neuropathologica 102:455-461
	CII	Huang, et al., Influence of cutaneous nerves on keratinocyte proliferation and
		epidermal thickness in mice, Neuroscience 94:965-973, 1999
	Cil	Inaba N., et al., Capsaicin-induced calcitonin gene-related peptide release from
		isolated rat stomach measured with a new chemiluminescent enzyme
1 1	-	immunoassay, Jpn J Pharmacol. 1996 Nov;72(3):223-9
	CKK	Ishikawa H et al., Presynaptic effects of botulinum toxin type A on the neuronally
1 1		evoked response of albino and pigmented rabbit iris sphincter and dilator muscles,
		Jpn J Ophthalmol 2000 Mar 4;44(2):106-109
	CLL	Jacks, L., et al., Idiopathic toe walking: Treatment with botulinum toxin A injection,
		Dev Med Child Neurol 2002;44(Suppl 91):6
	CMM	Jankovic J. et al., Therapy With Botulinum Toxin, Marcel Dekker, Inc., (1994), page
		5, 150
	CNN	Johnson M., Synaptic glutamate release by postnatal rat serotonergic neurons in
		microculture, Neuron 1994; 12: 433-442
,	C00	Jost, Wolfgang; Ten years' experience with Botulin toxin in anal fissure; Int J
		Colorectal Dis 2002 Sep;17(5):298-302
	CPP	Kaneko T., et al., Immunohistochemical demonstration of glutaminase in
		catecholaminergic and serotonergic neurons of rat brain, Brain Res. 1990; 507:
		151-154
/	CQQ	Kasakov L., et al., Direct evidence for concomitant release of noradrenaline,
/		adenosine 5'-triphosphate and neuropeptide Y from sympathetic nerve supplying
1 4		the guinea-pig vas deferens. J. Auton. Nerv. Syst. 1988; 22: 75-82
4		4

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF ART CITED BY APPLICANT

ATTY. DOCKET: 17675 (BOT)	SERIAL NO.: 10/817,036
APPLICANT: ERIC R. FIRST	TITLE: THERAPY FOR MELANIN RELATED AFFLICTIONS
FILING DATE: April 2, 2004	GROUP: 1646

(/)	281	CRR	Katsambas A., et al., Cutaneous diseases of the foot: Unapproved treatments, Clin
Y.()	7 1		Dermatol 2002 Nov-Dec;20(6):689-699
,		CSS	Ko M., et al., Cutaneous nerve degeneration induced by acrylamide in mice, Neuroscience Letters.(2000)293(3):195-8
		CIT	Komuves et al.; Epidermal Expression of the Full-Length Extracellular Calcium-
			Sensing Receptor Is Required for Normal Keratinocyte Differentiation; Journal of
		CUU	Cellular Physiology 2002 Jul;192(1):45-54
		-	Krnjevic K., Central cholinergic mechanisms and function. Prog Brain Res.
			1993;98:285-92
	- 1	CVV	Kupfermann I., Functional studies of cotransmission. Physiol. Rev. 1991; 71: 683-
}]		732.48: 545-59
		CWW	Lee M., et al., Clinical and electrophysiological characteristics of inflammatory
		į	demyelinating neuropathies, Acta Neurol Taiwan 1997;6:283-288
		CXX	Legat F., et al., Repeated subinflammatory ultraviolet B irradiation increases
			substance P and calcitonin gene-related peptide content and augments mustard
			oil-induced neurogenic inflammation in the skin of rats, Neurosci Lett. 2002 Sep
		•	6;329(3):309-13
	- 	CYY	Li Y, et al., Sensory and motor denervation influences epidermal thickness in rat
1			foot glabrous skin, Exp Neurol 1997;147:452-462(see page 459)
 		czz	Lin Y., et al., Quantitative sensory testing: normative values and its application in
			diabetic neuropathy, Acta Neurol Taiwan 1998;7:176-184
		CAAA	
		CAAA	Lin Y., et al., (2001) Cutaneous nerve terminal degeneration in painful
			mononeuropathy, Experimental Neurology. 170(2):290-6
		CBBB	Landberg of that made by the desiration model in the date ment of the by cloth.
	· I		Integrative aspects on amines, neuropeptides, adenosine triphosphate, amino
			acids and nitric oxide, Pharmacol. Rev. 1996; 48: 113-178
		cccc	McCarthy B., et al., Cutaneous innervation in sensory neuropathies: evaluation by
	. }		skin biopsy, Neurol 1995;45:1848-1855
		CDDD	Moyer E et al., Botulinum Toxin Type B: Experimental and Clinical Experience,
			being chapter 6, pages 71-85 of "Therapy With Botulinum Toxin", edited by
	7 .		Jankovic, J. et al. (1994), Marcel Dekker, Inc.
	/ 	CEEE	Naumann et al.; Botulinum toxin type A in the treatment of focal, axillary and
\(\)	/		palmar hyperhidrosis and other hyperhidrotic conditions; European J. Neurology 6
1 V	'	ا ا	(Supp 4): S111-S1150:1999
			(Cupp 7). OT 11-01100.1000

EXAMINER DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF ART CITED BY APPLICANT

ATTY. DOCKET: 17675 (BOT)	SERIAL NO.: 10/817,036
APPLICANT: ERIC R. FIRST	TITLE: THERAPY FOR MELANIN RELATED AFFLICTIONS
FILING DATE: April 2, 2004	GROUP:

		CFFF	Ndoye A., et al., Identification and mapping of keratinocyte muscarinic
	PX		acetylcholine receptor subtypes in human epidermis, J Invest Dermatol. 1998
\	M		Sep;111(3):410-6
		CGGG	Nguyen V., et a., Keratinocyte acetylcholine receptors regulate cell adhesion Life
	<u> </u>		Sci. 2003 Mar 28;72(18-19):2081-5;
1		СНИН	Nguyen V., et al., Programmed cell death of keratinocytes culminates in apoptotic
I \/			secretion of a humectant upon secretagogue action of acetylcholine J Cell Sci.
			2001 Mar;114(Pt 6):1189-204
		CIII	Nicholas A. et al., Glutamate-like immunoreactivity in medulla oblongata
			catecholamine/substance P neurons, NeuroReport 1990; 1: 235-238
		CIII	Palacios J., et al., Cholinergic neuropharmacology: an update, Acta Psychiatr
			Scand Suppl. 1991;366:27-33
		CKKK	Pan C., et al., (2001) Degeneration of nociceptive nerve terminals in human
			peripheral neuropathy, Neuroreport. 12(4):787-92
		CLLL	Pearce, L.B., Pharmacologic Characterization of Botulinum Toxin For Basic
	•		Science and Medicine, Toxicon 35(9);1373-1412 at 1393
		CMM	Ragona et al.; Management of Parotid Sialocele With Botulinum Toxin; The
			Laryngoscope 109:1344-1346:1999
		CNNN	Roehm Pamela C. et al., Prevalence of periocular depigmentation after repeated
			botulinum toxin a injections in African American patients, J Neuro-Ophthalmol
			1999;19(1):7-9
		C000	Rogers J., et al., Injections of botulinum toxin A in foot dystonia, Neurology 1993
			Apr;43(4 Suppl 2
		CPPP	Sanchez-Prieto, J., et al., Botulinum Toxin A Blocks Glutamate Exocytosis From
			Guinea Pig Cerebral Cortical Synaptosomes, Eur J. Biochem 165;675-681:1897
		CQQQ	Schantz, E.J., et al, Properties and use of Botulinum toxin and Other Microbial
			Neurotoxins in Medicine, Microbiol Rev. 56;80-99:1992
		CRRR	Sevim, S., et al., Botulinum toxin-A therapy for palmar and plantar hyperhidrosis,
			Acta Neurol Belg 2002 Dec;102(4):167-70
		CSSS	oligh, olimbar reposit or sactoriar rotally roxino, pages es ex (eliapter 4) el
	Л I		Natural Toxins II, edited by B.R. Singh et al., Plenum Press, New York (1976)
,		СТТТ	Sloop et al.; Reconstituted Botulinum toxin type A does not lose potency in humans
	7		if it is refrozen or refrigerated for 2 weeks before use; Neurology, 48:249-53:1997

EXAMINER_

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw like through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

LIST OF ART CITED BY APPLICANT

ATTY. DOCKET: 17675 (BOT)	SERIAL NO.: 10/817,036
APPLICANT: ERIC R. FIRST	TITLE: THERAPY FOR MELANIN RELATED AFFLICTIONS
FILING DATE: April 2, 2004	GROUP: /6/

188	CUUL	Sneddon P., et al., <i>Pharamcological evidence that adenosine triphosphate and noradrenaline are cotransmitters in the guinea-pig vas deferens.</i> J. Physiol. 1984; 347: 561-580
		Suputtitada, A., Local botulinum toxin type A injections in the treatment of spastic toes, Am J Phys Med Rehabil 2002 Oct;81(10):770-5
	CWW	Weigand et al, <i>I-Labelled Botulinum A Neurotoxin: Pharmacokinetics in Cats after Intamuscular Injection</i> ; Nauny-Schmiedeberg's Arch. Pharmacol. 1976; 292, 161-165
	CXXX	Whitehouse P., et al., <i>Nicotinic and muscarinic cholinergic receptors in Alzheimer's disease and related disorders</i> , J Neural Transm Suppl. 1987;24:175-82
	CYYY	Wu T., et al., Demonstration of human papillomavirus (HPV) genomic amplification and viral-like particles from CaSki cell line in SCID mice, J Virol Methods 1997;65:287-298
	CZZZ	Xu Z-QD et al, Galanin/GMAP- and NPY-like immunoreactivities in locus coeruleus and noradrenergic nerve terminals in the hippocampal formation and cortex with notes on the galanin-R1 and - R2 receptors, J. Comp. Neurol. 1998; 392: 227-252
		Xu Z-QD et al, Galanin-5-hydroxytryptamine interactions: Electrophysiological, immunohistochemical and in situ hybridization studies on rat dorsal raphe neurons with a note on galanin R1 and R2 receptors. Neuroscience 1998; 87: 79-94
	СВВВ	Zia S., et al., Receptor-mediated inhibition of keratinocyte migration by nicotine involves modulations of calcium influx and intracellular concentration, J Pharmacol Exp Ther. 2000 Jun;293(3):973-81

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.